

EXPRESS MAIL NO.: EL231893618US

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re:	Patent Application of Ward, <i>et al.</i>	: Group Art Unit: Not Yet Assigned : :
Appln. No.:	Not Yet Assigned	: Examiner: Not Yet Assigned : :
Filed:	Herewith	: : :
For:	A METHOD AND DEVICE FOR MEASURING TISSUE OEDEMA	: Attorney Docket : No. 054195-5002

**INFORMATION DISCLOSURE STATEMENT**

It is requested that the enclosed reference(s) listed on the attached Information Disclosure Citation Form PTO-1449 be considered by the Patent Examiner in connection with the above-identified application and be made of record therein.

Independent consideration and acknowledgment of the enclosed reference(s) are respectfully requested.

Respectfully submitted,

WARD, *et al.*

December 20, 2001  
(Date)

By:

Kathryn Doyle  
KATHRYN DOYLE, Ph.D, J.D.  
Registration No. 36,317  
MORGAN, LEWIS & BOCKIUS, LLP  
1701 Market Street  
Philadelphia, PA 19103-2921  
Telephone: (215) 963-5000  
Direct Dial: (215) 963-4723  
Facsimile: (215) 963-5299  
E-Mail: kdoyle@morganlewis.com  
Attorney for Applicants

KD/kck  
Enclosure



Sheet	2	of	2	Attorney D c k t Number	054195-5002
-------	---	----	---	-------------------------	-------------

	DERWENT Abstract No. 99-138542, JP 10 014899 A (Sekisui Chem Ind Co Ltd) February 20, 1998, see abstract	
	DERWENT Abstract No. 99-247542, JP 11 070090 A (Sekisui Chem Ind Co Ltd) March 16, 1999, see abstract	
	DUERENBERG, P., et al., 1996, Annals of Human Biology, vol. 23, no. 1, pp 31-40	
	KIM, C.T., et al., 1997, Electromyography and Clinical Neurophysiology, vol. 37, pp. 297-304	
	RIGAUD, B. et al., 1996, Critical Reviews in Biomedical Engineering, vol. 24 (4-6), pp. 257-351	
	STEIJAERT, M., et al., 1997, International Journal of Obesity, vol. 21, pp. 930-934	
	THOMAS, B.J., et al., 1998, Applied Radiation and Isotopes, vol. 49 no. 5/6, pp. 447-455	
	WARD, L.C., et al., 1992, European Journal of Clinical Investigation, vol. 22, pp. 751-754	

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--